

## Lubrication Guide

Our clients are responsible for using the proper lubricants as required by OEM specifications. We have provided the following guide for assistance.

<b>Manual Transmissions</b>	
<b>Application</b>	<b>Lubricant</b>
Heavy Duty	50W
All Fuller Roadrangers	50W
All Spicer PS Series	50W
All Rockwell / Meritor	50W
ZF Astronic and Freedomline	75W80 / 75W85 / 75W90 Synthetic
Mack Maxi-Torque	80W90 or 85W140
Mack T-Models	85W140

<b>Mid-Range / Light Duty</b>	
<b>Application</b>	<b>Lubricant</b>
All Spicer, Clark, Eaton	50W
All New Process, Borg Warner	80W90
All ZF & Getrag	Dexron III

<b>Light, Medium, &amp; Heavy Duty Differentials</b>	
<b>Application</b>	<b>Lubricant</b>
All Mack, Rockwell, Eaton, IHC, Dana	75W90
All Foreign, Sterling, Ford GM, American Axle	80W90 or 85W140
Light Duty Posi Axles	Refer to OEM Specifications

<b>Automatic Transmissions</b>	
<b>Application</b>	<b>Lubricant</b>
All Allison	TES295 for Synthetic, TES 389 for Mineral-based

<b>Transfer Cases</b>	
<b>Application</b>	<b>Lubricant</b>
Heavy Duty (Oshkosh, Fabco, Noster, MPM, Durst, Rockwell) & Light Duty	Refer to OEM Specifications

<b>Off-Highway Applications</b>	
Refer to OEM Specifications	